



1024371

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8****999 18TH STREET- SUITE 300
DENVER, CO 80202-2466
Phone 800-227-8917
<http://www.epa.gov/region08>**

Ref: 8EPR-SR

June 15, 2006

**ELOISE PHILLIPS
23855 E 26TH AVE
AURORA CO 80019****RE: 1700-1718 E 36TH AVE**

Dear Owner,

As part of the VB/I-70 Superfund Site investigation, we recently took soil samples at your property to find out if there is too much lead or arsenic in your yard. *The results show that your property does not require a cleanup.* The levels of both lead and arsenic are below our cleanup levels. The soil sampling results for your property are as follows:

ADDRESS: 1700-1718 E 36TH AVE**EPA Cleanup Levels****Lead**

125 parts per million (ppm)

above 400 ppm

Arsenic

6 ppm

above 70 ppm

This means that your property is not considered by EPA to be part of the VB/I-70 Superfund Site. EPA does not believe that further measures are necessary. You and your family are not at significant risk from arsenic through ordinary contact with soil in your yard while playing, working, gardening, etc. Please note that there may be small areas in your yard, particularly near your house, that may have higher levels of lead due to peeling, external lead-based paint. EPA encourages all owners of older properties to take reasonable precautions regarding lead-based paint.

For further information, please feel free to contact EPA Community Involvement Coordinators Jennifer Chergo at (303) 312-6601 or Patricia Courtney at (303) 312-6631.

Sincerely,

**Victor Ketellapper
Remedial Project Manager
The Environmental Protection Agency, Region 8**

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862
(303) 425-6021

Client Sample ID: VB-1700-36-01
Client Project ID: 213001.01
Date Collected: 5/23/06
Date Received: 5/25/06

Lab Work Order: 06-3348
Lab Sample ID: 06-3348-56
Sample Matrix: Soil

METALS

Method: SW6010

Prep Method: SW3050

Date Prepared: 6/6/06
Date Analyzed: 6/8/06

Lab File ID: 060806PM
Method Blank: MB-10079

Dilution Factor: 1
Lab Fraction ID: 06-3348-56A

Analytes	CAS Number	Result	LQL	Units
Arsenic	7440-38-2	5.1	3.8	mg/Kg
Lead	7439-92-1	96	5.5	mg/Kg

MB
Analyst

WJH
Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result
E - Extrapolated value. Value exceeds calibration range
H - Sample analysis exceeded analytical holding time
J - Indicates an estimated value when the compound is detected, but is below the LQL
S - Spike Recovery outside accepted limits
U - Compound analyzed for but not detected
X - See case narrative
* - Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable
LQL - Lower Quantitation Limit
Surr - Surrogate

Print Date: 6/9/06

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862
(303) 425-6021

Client Sample ID: VB-1700-36-02
Client Project ID: 213001.01
Date Collected: 5/23/06
Date Received: 5/25/06

Lab Work Order: 06-3348
Lab Sample ID: 06-3348-57
Sample Matrix: Soil

METALS

Method: SW6010

Prep Method: SW3050

Date Prepared: 6/6/06
Date Analyzed: 6/8/06

Lab File ID: 060806PM
Method Blank: MB-10079

Dilution Factor: 1
Lab Fraction ID: 06-3348-57A

Analytes	CAS Number	Result	LQL	Units
Arsenic	7440-38-2	5.4	3.9	mg/Kg
Lead	7439-92-1	100	5.7	mg/Kg

MB/cur
Analyst

Walt
Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result
E - Extrapolated value. Value exceeds calibration range
H - Sample analysis exceeded analytical holding time
J - Indicates an estimated value when the compound is detected, but is below the LQL
S - Spike Recovery outside accepted limits
U - Compound analyzed for but not detected
X - See case narrative
* - Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable
LQL - Lower Quantitation Limit
Surr - Surrogate

Print Date: 6/9/06

075

Evergreen Analytical, Inc.
4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862
(303) 425-6021

Client Sample ID: VB-1700-36-03
Client Project ID: 213001.01
Date Collected: 5/23/06
Date Received: 5/25/06

Lab Work Order: 06-3348
Lab Sample ID: 06-3348-58
Sample Matrix: Soil

METALS

Method: SW6010

Prep Method: SW3050

Date Prepared: 6/6/06
Date Analyzed: 6/8/06

Lab File ID: 060806PM
Method Blank: MB-10079

Dilution Factor: 1
Lab Fraction ID: 06-3348-58A

Analytes	CAS Number	Result	LQL	Units
Arsenic	7440-38-2	5.9	4.0	mg/Kg
Lead	7439-92-1	180	5.8	mg/Kg

MB

Analyst

LKB

Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result
E - Extrapolated value. Value exceeds calibration range
H - Sample analysis exceeded analytical holding time
J - Indicates an estimated value when the compound is detected, but is below the LQL
S - Spike Recovery outside accepted limits
U - Compound analyzed for but not detected
X - See case narrative
* - Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable
LQL - Lower Quantitation Limit
Surr - Surrogate

Print Date: 6/8/06

1700-1718 E 36th Avenue

Alley

Parking Lot

E 36th Avenue

Sections	# of Grids	Sample Points
01	49	8
02	75	13
03	55	9
		179/30 = 5.9%

VB-1700-36-01 Green
VB-1700-36-02 Yellow
VB-1700-36-03 Red

G-1252
V-1250
R-1249

6663
5-23-06
MR/NB

Gulpin Street

90



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8

Victor Ketellapper

Phone 800-227-8917

<http://www.epa.gov/region08>

CONSENT FOR ACCESS TO PROPERTY

Name: Eloise Phillips (or current property owner)

Location of Property: 1700-1718 E 36Th Ave

Property ID: 6163

I consent to officers, employees, and authorized representatives of the United States Environmental Protection Agency (EPA) entering and having continued access to the above referenced property for the purpose of taking samples of soil on the Site.

I realize that these actions are undertaken pursuant to EPA's response and enforcement responsibilities under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA or Superfund), 42 U.S.C. § 9601 *et seq.*

Eloise Phillips

Printed Name

303-292-4566

Phone Number

Eloise Phillips

Signature

5-18-06

Date